NEURO PHARMACOLOGY

List of Contents, Author and Subject Index

Volume 39, 2000

PERGAMON

NEUROPHARMACOLOGY

Chief Editor
GRAHAM L. COLLINGRIDGE

Editorial Assistant
Bridget L. Craddock

Neuropharmacology
Editorial Office
University of Bristol
Bristol BS8 1TH, U.K.

Executive Editorial Board

NICHOLAS M. BARNES, Birmingham
JOËL G. BOCKAERT, Montpellier
RAYMOND J. DINGLEDINE, Atlanta
JOHN GARTHWAITE, London
A. RICHARD GREEN, Loughborough
P. MAX HEADLEY, Bristol
DANIEL HOYER, Basel
DAVID LODGE, Indianapolis
ROBERT L. MACDONALD, Ann Arbor
RICHARD J. MILLER, Chicago
MASAYOSHI MISHINA, Tokyo
GAVRIL W. PASTERNAK, New York
ANDREW D. RANDALL, Harlow
MICHAEL A. ROGAWSKI, Bethesda
PETER H. SEEBURG, Heidelberg
MICHAEL A. SIMMONDS, London
DAVID N. STEPHENS, Brighton

Advisory Editorial Board

NORIO AKAIKE, Fukuoka
SIMON ALFORD, Chicago
PHILIPPE ASCHER, Paris
BRIAN AULT, Wilmington
BRUCE P. BEAN, Boston
TIM BLISS, London
NORMAN G. BOWERY, Birmingham
R. A. JOHN CHALLISS, Leicester
STEVEN R. CHILDERS, Winston-Salem
ALAN J. CROSS, Rochester, NY
CERI H. DAVIES, Harlow
ANDREW DRAY, Quebec, Canada
BERTIL B. I. FREDHOLM, Stockholm
ANN G. HAYES, Stevenage
DAVID J. HEAL, Nottingham
GRAEME HENDERSON, Bristol
RAY G. HILL, Harlow
TAGE HONORÉ, Basel
CHARLES E. INTURRISI, New York
SUSAN D. IVERSEN, Oxford
DAVID JANE, Bristol
DAVID J. JULIUS, San Francisco
GAVIN J. KILPATRICK, Cambridge
ARTHUR KONNERTH, Muenchen
JEREMY J. LAMBERT, Dundee
ROBIN A. J. LESTER, Birmingham, AL
HILARY J. LITTLE, Durham
ROBERT C. MALENKA, San Francisco
CHARLES A. MARSDEN, Nottingham
IAN L. MARTIN, Birmingham
MARK L. MAYER, Bethesda
JAMES O. MCNAMARA, Durham
BRIAN S. MELDRUM, London
HANNAH MONYER, Heidelberg
RICHARD G. M. MORRIS, Edinburgh
DAVID B. MORTON, Birmingham
STEFAN R. NAHORSKI, Leicester
SHIGETADA NAKANISHI, Kyoto
GIUSEPPE NISTICÒ, Rome
CHRISTOPHER G. PARSONS, Frankfurt
STEVEN M. PAUL, Indianapolis
TERRY D. REISINE, Philadelphia
KLAUS G. REYMANN, Magdeburg
JOHN RODGERS, Leeds
JEAN P. ROSSIER, Paris
NANCY J. ROTHWELL, Manchester
DARRYLE D. SCHOEPP, Indianapolis
RODERICK H. SCOTT, Aberdeen
TREVOR SHARP, Oxford
TREVOR G. SMART, London
IAN P. STOLERMAN, London
HIROYUKI SUGIYAMA, Fukuoka
RICHARD W. TSIEN, Stanford
JOHN L. WADDINGTON, Dublin
JEFFREY C. WATKINS, Bristol
MICHAEL M. WHITE, Philadelphia

© 2000 Elsevier Science Ltd. All rights reserved

Author Service Department: For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department (Tel. +44 (0) 1865 843900; Fax +44 (0) 1865 843905; E-mail authors@elsevier.co.uk).

Publication information: Neuropharmacology (ISSN 0028–3908). For 2001, Vol 40 is scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.nl/locate/neuropharm). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.nl). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims, and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:
New York: Elsevier Science, PO Box 945, New York, NY 10159-0945, USA; phone: (+1) (212) 633 3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; fax: (+1) (212) 633 3680; e-mail: usinfo-f@elsevier.com. Amsterdam: Elsevier Science, PO Box 211, 1000 AE Amsterdam, The Netherlands; phone: (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: nlinfo-f@elsevier.nl. Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: info@elsevier.co.jp. **Singapore:** Elsevier Science, No. 1 Temasek Avenue, # 17-01 Millenia Tower, Singapore 039192; phone: (+65) 434 3727; fax: (+65) 337 2230; e-mail: asiainfo@elsevier.com.sg. **Rio de Janeiro:** Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro-RJ, Brazil; phone: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above].

Periodicals postage paid at Rahway, NJ. Neuropharmacology (ISSN 0028-3908) is published monthly with an additional issue in March by Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK. The annual subscription price in the USA is $2203.

Neuropharmacology is circulated by Mercury International Limited, 365 Blair Road, Avenel, NJ 07001, USA.

POSTMASTER: Please send address corrections to: Neuropharmacology, c/o Customer Services, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010, USA.

Cover—Dual labelling with antibodies raised against tyrosine hydroxylase (green) and the alpha3 nicotinic AChR (red) and an overlay (yellow) at low (top left) and high (bottom right) power magnification of rat substantia nigra. Image provided by Ian Jones and Sue Wonnacott, University of Bath, UK.

NEUROPHARMACOLOGY

CONTENTS OF VOLUME 39

NUMBER 1

C. Jiménez, E. Bourinet, V. Leuranguer, S. Richard, T. P. Snutch and J. Nargeot	Determinants of voltage-dependent inactivation affect Mibefradil block of calcium channels	1
M. P. Myers and P. Stampe	A point mutation in the maxi-K clone *dSlo* forms a high affinity site for charybdotoxin	11
J. L. S. Cotton and K. M. Partin	The contributions of GluR2 to allosteric modulation of AMPA receptors	21
Y. Itzhak and J. L. Martin	Cocaine-induced kindling is associated with elevated NMDA receptor binding in discrete mouse brain regions	32
N. del Olmo, M. Galarreta, J. Bustamante, R. Martín del Río and J. M. Solís	Taurine-induced synaptic potentiation: role of calcium and interaction with LTP	40
G. B. Smith and R. Olsen	Deduction of amino acid residues in the $GABA_A$ receptor α subunits photoaffinity labeled with the benzodiazepine flunitrazepam	55
M. F. Jackson, B. Esplin and R. Čapek	Reversal of the activity-dependent suppression of GABA-mediated inhibition in hippocampal slices from γ-vinyl GABA (vigabatrin)-pretreated rats	65
A. S. Undie, A. C. Berki and K. Beardsley	Dopaminergic behaviors and signal transduction mediated through adenylate cyclase and phospholipase C pathways	75
D. Lecca, I. Shim, E. Costa and J. I. Javaid	Striatal application of nicotine, but not of lobeline, attenuates dopamine release in freely moving rats	88
H. Prengel, O. Brödel, L. Hiedra, G. Pinna, M. Eravci, H. Meinhold and A. Baumgartner	Effects of tranylcypromine on thyroid hormone metabolism and concentrations in rat brain	99
E. Le Poul, C. Boni, N. Hanoun, A. Laporte, N. Laaris, J. Chauveau, M. Hamon and L. Lanfumey	Differential adaptation of brain $5\text{-}HT_{1A}$ and $5\text{-}HT_{1B}$ receptors and 5-HT transporter in rats treated chronically with fluoxetine	110
D. A. Clemett, T. Punhani, M. S. Duxon, T. P. Blackburn and K. C. F. Fone	Immunohistochemical localisation of the $5\text{-}HT_{2C}$ receptor protein in the rat CNS	123
A. K. Houghton, J. Ogilvie and R. W. Clarke	The involvement of tachykinin NK_2 and NK_3 receptors in central sensitization of a spinal withdrawal reflex in the decerebrated, spinalized rabbit	133
P. Zaratin, O. Angelici, G. D. Clarke, G. Schmid, M. Raiteri, F. Carità and G. Bonanno	NK_3 receptor blockade prevents hyperalgesia and the associated spinal cord substance P release in monoarthritic rats	141
C. C. Chao, S. Hu, G. Gekker, J. R. Lokensgard, M. P. Heyes and P. K. Peterson	U50,488 protection against HIV-1-related neurotoxicity: involvement of quinolinic acid suppression	150

NUMBER 2

C. Becker, M. Pohl, M.-H. Thiébot, E. Collin, M. Hamon, F. Cesselin, J.-J. Benoliel	δ-Opioid receptor-mediated increase in cortical extracellular levels of cholecystokinin-like material by subchronic morphine in rats	161
Y. Zhong, P. M. Dunn, G. Burnstock	Pharmacological comparison of P2X receptors on rat coeliac, mouse coeliac and mouse pelvic ganglion neurons	172
Y. Ito, Y. Murai, H. Ishibashi, H. Onoue, N. Akaike	The prostaglandin E series modulates high-voltage-activated calcium channels probably through the EP_3 receptor in rat paratracheal ganglia	181
S. Uchida, N. Akaike, J. Nabekura	Dopamine activates inward rectifier K^+ channel in acutely dissociated rat substantia nigra neurones	191
M. Madeja, V. Müller, U. Mußhoff, E.-J. Speckmann	Sensitivity of native and cloned hippocampal delayed-rectifier potassium channels to verapamil	202
S. Kawasaki-Yatsugi, C. Ichiki, S.-i. Yatsugi, M. Takahashi, M. Shimizu-Sasamata, T. Yamaguchi, K. Minematsu	Neuroprotective effects of an AMPA receptor antagonist YM872 in a rat transient middle cerebral artery occlusion model	211
M. P. Thomas, R. A. Morrisett	Dynamics of NMDAR-mediated neurotoxicity during chronic ethanol exposure and withdrawal	218
A. Oberto, G. Panzica, F. Altruda, C. Eva	Chronic modulation of the $GABA_A$ receptor complex regulates Y_1 receptor gene expression in the medial amygdala of transgenic mice	227
J. L. Fisher, D. J. Hinkle, R. L. Macdonald	Loreclezole inhibition of recombinant $\alpha1\beta1\gamma2L$ $GABA_A$ receptor single channel currents	235
W. Jarolimek, J. Bäurle, U. Misgeld	Impaired inhibition of epileptiform activity by baclofen, but not by adenosine in the *weaver* hippocampus	246
C. Redecker, U. Altrup, D. Hoppe, R. Düsing, E.-J. Speckmann	Effects of valproate derivatives I. Antiepileptic efficacy of amides, structural analogs and esters	254

C. Redecker, U. Altrup, D. Hoppe, T. Hense, A. Kreier, A. Rabe, R. Düsing, E.-J. Speckmann	Effects of valproate derivatives II. Antiepileptic efficacy in relation to chemical structures of valproate sugar esters	267
R. J. Moore, R. Xiao, L. J. Sim-Selley, S. R. Childers	Agonist-stimulated [^{35}S]GTPγS binding in brain Modulation by endogenous adenosine	282
M. Reuben, P. B. S. Clarke	Nicotine-evoked [^{3}H]5-hydroxytryptamine release from rat striatal synaptosomes	290
P. J. Kenny, S. Cheeta, S. E. File	Anxiogenic effects of nicotine in the dorsal hippocampus are mediated by 5-HT$_{1A}$ and not by muscarinic M$_1$ receptors	300
M. Brüss, T. Eucker, M. Göthert, H. Bönisch	Exon-intron organization of the human 5-HT$_{3A}$ receptor gene	308
S. Zaman, A.J. Woods, J.W. Watson, D.J.M. Reynolds, P.L.R. Andrews	The effect of the NK$_1$ receptor antagonist CP-99,994 on emesis and c-fos protein induction by loperamide in the ferret	316
L.-P. Zou, G. Deretzi, S.-H. Pelidou, M. Levi, B. Wahren, C. Quiding, J. Zhu	Rolipram suppresses experimental autoimmune neuritis and prevents relapses in Lewis rats	324
W. Adriani, G. Laviola	A unique hormonal and behavioral hyporesponsivity to both forced novelty and d-amphetamine in periadolescent mice	334
M.T. Lin, J.H. Lin	Involvement of tyrosine kinase in the pyrogenic fever exerted by NOS pathways in organum vasculosum laminae terminalis	347

NUMBER 3

H. L. Wang	A cluster of Ser/Thr residues at the C-terminus of μ-opioid receptor is required for G protein-coupled receptor kinase 2-mediated desensitization	353
I. Nevo, T. Avidor-Reiss, R. Levy, M. Bayewitch, Z. Vogel	Acute and chronic activation of the μ-opioid receptor with the endogenous ligand endomorphin differentially regulates adenylyl cyclase isozymes	364
E. M. Unterwald, M. Cuntapay	Dopamine-opioid interactions in the rat striatum: a modulatory role for dopamine D$_1$ receptors in delta opioid receptor-mediated signal transduction	372
J. J. Clifford, A. Usiello, D. Vallone, A. Kinsella, E. Borrelli, J. L. Waddington	Topographical evaluation of behavioural phenotype in a line of mice with targeted gene deletion of the D$_2$ dopamine receptor	382
X. Wu, E. D. French	Effects of chronic Δ^9-tetrahydrocannabinol on rat midbrain dopamine neurons: an electrophysiological assessment	391
T. Kita, K. Shimada, Y. Mastunari, G. C. Wagner, K. Kubo, T. Nakashima	Methamphetamine-induced striatal dopamine neurotoxicity and cyclooxygenase-2 protein expression in BALB/c mice	399
R. L. Brackett, B. Pouw, J. F. Blyden, M. Nour, R. R. Matsumoto	Prevention of cocaine-induced convulsions and lethality in mice: effectiveness of targeting different sites on the NMDA receptor complex	407
F.-J. Wan, H.-C. Lin, Y.-S. Lin, C.-J. Tseng	Intra-striatal infusion of D-amphetamine induces hydroxyl radical formation: inhibition by MK-801 pretreatment	419
R. Q. Hu, P. K. Banerjee, O. C. Snead III	Regulation of γ-aminobutyric acid (GABA) release in cerebral cortex in the γ-hydroxybutyric acid (GHB) model of absence seizures in rat	427
G. Pinna, V. Uzunova, K. Matsumoto, G. Puia, J.-M. Mienville, E. Costa, A. Guidotti	Brain allopregnanolone regulates the potency of the GABA$_A$ receptor agonist muscimol	440
K. Heese, U. Otten, P. Mathivet, M. Raiteri, C. Marescaux, R. Bernasconi	GABA$_B$ receptor antagonists elevate both mRNA and protein levels of the neurotrophins nerve growth factor (NGF) and brain-derived neurotrophic factor (BDNF) but not neurotrophin-3 (NT-3) in brain and spinal cord of rats	449
Q. Pei, L. Lewis, M. E. Sprakes, E. J. Jones, D. G. Grahame-Smith, T. S. C. Zetterström	Serotonergic regulation of mRNA expression of Arc, an immediate early gene selectively localized at neuronal dendrites	463
T. Koskinen, S. Ruotsalainen, T. Puumala, R. Lappalainen, E. Koivisto, P. T. Männistö, J. Sirviö	Activation of 5-HT$_{2A}$ receptors impairs response control of rats in a five-choice serial reaction time task	471
G. Arslan, C. M. Filipeanu, E. Irenius, B. Kull, E. Clementi, C. Allgaier, D. Erlinge, B. B. Fredholm	P2Y receptors contribute to ATP-induced increases in intracellular calcium in differentiated but not undifferentiated PC12 cells	482
R. H. Wang, C. Bejar, M. Weinstock	Gender differences in the effect of rivastigmine on brain cholinesterase activity and cognitive function in rats	497
J. Cabrera, R. J. Reiter, D.-X. Tan, W. Qi, R. M. Sainz, J. C. Mayo, J. J. Garcia, S. J. Kim, G. El-Sokkary	Melatonin reduces oxidative neurotoxicity due to quinolinic acid: in vitro and in vivo findings	507
R. Strong, J. C. Grotta, J. Aronowski	Combination of low dose ethanol and caffeine protects brain from damage produced by focal ischemia in rats	515

NUMBER 4

Review

Max R. Bennett — The concept of transmitter receptors: 100 years on — 523

J.A. Harder, R.M. Ridley — The 5-HT_{1A} antagonist, WAY 100 635, alleviates cognitive impairments induced by dizocilpine (MK-801) in monkeys — 547

C. Stenfors, H. Yu and S. B. Ross — Enhanced 5-HT metabolism and synthesis rate by the new selective r5-HT_{1B} receptor antagonist, NAS-181 in the rat brain — 553

D. M. Lovinger, K.-W. Sung and Q. Zhou — Ethanol and trichloroethanol alter gating of 5-HT_3 receptor-channels in NCB-20 neuroblastoma cells — 561

J. Segieth, L. Fowler, P. Whitton and B. Pearce — Nitric oxide-mediated regulation of dopamine release in the hippocampus in vivo — 571

H. L. Kimmel, F. I. Carroll and M. J. Kuhar — Dopamine transporter synthesis and degradation rate in rat striatum and nucleus accumbens using RTI-76 — 578

M. J. Millan, S. Girardon, S. Monneyron and A. Dekeyne — Discriminative stimulus properties of the dopamine D_3 receptor agonists, PD128,907 and 7-OH-DPAT: a comparative characterization with novel ligands at D_3 versus D_2 receptors — 586

S. J. Glatt, C. A. Balaños, G. H. Trksak, C. Crowder-Dupont and D. Jackson — Prenatal cocaine exposure alters behavioral and neurochemical sensitization to amphetamine in adult rats — 599

P. A. Davies, E. B. Hoffmann, H. J. Carlisle, R. F. Tyndale and T. G. Hales — The influence of an endogenous $\beta 3$ subunit on recombinant $GABA_A$ receptor assembly and pharmacology in WSS-1 cells and transiently transfected HEK293 cells — 611

J. H. Crawford, A. Wainwright, R. Heavens, J. Pollock, D. Martin, R. H. Scott, G. R. Seabrook — Mobilisation of intracellular Ca^{2+} by $mGluR_5$ metabotropic glutamate receptor activation in neonatal rat cultured dorsal root ganglia neurones — 621

T. Frankiewicz, A. Pilc, C. G. Parsons — Differential effects of NMDA–receptor antagonists on long-term potentiation and hypoxic/hypoglycaemic excitotoxicity in hippocampal slices — 631

Á. Kelly and M. A. Lynch — Long-term potentiation in dentate gyrus of the rat is inhibited by the phosphoinositide 3–kinase inhibitor, wortmannin — 643

F. D. Tattersall, W. Rycroft, M. Cumberbatch, G. Mason, S. Tye, D. J. Williamson, J. J. Hale, S. G. Mills, P. E. Finke, M. MacCoss, S. Sadowski, E. Ber, M. Cascieri, R. G. Hill, D. E. MacIntyre and R. J. Hargreaves — The novel NK1 receptor antagonist MK–0869 (L–754,030) and its water soluble phosphoryl prodrug, L–758,298, inhibit acute and delayed cisplatin-induced emesis in ferrets — 652

M. Bergström, K.-J. Fasth, G. Kilpatrick, P. Ward, K. M. Cable, M. D. Wipperman, D. R. Sutherland, B. Långström — Brain uptake and receptor binding of two [^{11}C]labelled selective high affinity NK1-antagonists, GR203040 and GR205171 — PET studies in rhesus monkey — 664

S. J. Lansdell and N. S. Millar — The influence of nicotinic receptor subunit composition upon agonist, α–bungarotoxin and insecticide (imidacloprid) binding affinity — 671

B. Lubrich, O. Spleiss, P.-J. Gebicke-Haerter and D. van Calker — Differential expression, activity and regulation of the sodium/myo-inositol cotransporter in astrocyte cultures from different regions of the rat brain — 680

M. De Ryck, M. Verhoye and A.-M. Van der Linden — Diffusion-weighted MRI of infarct growth in a rat photochemical stroke model: effect of lubeluzole — 691

Rapid communications

U. G. Kang, S. H. Jeon, J. E. Lee, Y.-H. Joo, J. S. Yi, J.-B. Park, Y.-S. Juhnn and Y. S. Kim — The activation of B-Raf and Raf-1 after electroconvulsive shock in the rat hippocampus — 703

J. Radulovic, A. Fischer, U. Katerkamp and J. Spiess — Role of regional neurotransmitter receptors in corticotropin-releasing factor (CRF)-mediated modulation of fear conditioning — 707

NUMBER 5

Neuronal Plasticity: The Key to Stroke Recovery

J. Chen, Y. Li, M. Chopp — Intracerebral transplantation of bone marrow with BDNF after MCAo in rat — 711

M. Korte, L. Minichiello, R. Klein, T. Bonhoeffer — Shc-binding site in the TrkB receptor is not required for hippocampal long-term potentiation — 717

F.L. Kidd, J.T.R. Isaac — Glutamate transport blockade has a differential effect on AMPA and NMDA receptor-mediated synaptic transmission in the developing barrel cortex — 725

R.J. Nudo, K.M. Friel, S.W. Delia — Role of sensory deficits in motor impairments after injury to primary motor cortex — 733

S.D. Bury, A.C. Eichhorn, C.M. Kotzer, T.A. Jones — Reactive astrocytic responses to denervation in the motor cortex of adult rats are sensitive to manipulations of behavioral experience — 743

B. Kolb, J. Cioe	Recovery from early cortical damage in rats, VIII. Earlier may be worse: behavioural dysfunction and abnormal cerebral morphogenesis following perinatal frontal cortical lesions in the rat	756
T.L. Ivanco, W.T. Greenough	Physiological consequences of morphologically detectable synaptic plasticity: potential uses for examining recovery following damage	765
T. Schallert, S.M. Fleming, J.L. Leasure, J.L. Tillerson, S.T. Bland	CNS plasticity and assessment of forelimb sensorimotor outcome in unilateral rat models of stroke, cortical ablation, parkinsonism and spinal cord injury	777
I.Q. Whishaw	Loss of the innate cortical engram for action patterns used in skilled reaching and the development of behavioral compensation following motor cortex lesions in the rat	788
A.J. Hunter, J. Hatcher, D. Virley, P. Nelson, E. Irving, S.J. Hadingham, A.A. Parsons	Functional assessments in mice and rats after focal stroke	806
M. Eijkenboom, I. Gerlach, R. Jork, D. Lowe, F.J. van der Staay	Effects of subdural haematoma on sensorimotor functioning and spatial learning in rats	817
P.W. Duncan, S.M. Lai, J. Keighley	Defining post-stroke recovery: implications for design and interpretation of drug trials	835
S.C. Cramer, E.P. Bastings	Mapping clinically relevant plasticity after stroke	842
L.B. Goldstein	Effects of amphetamines and small related molecules on recovery after stroke in animals and man	852
J. Ren, P.L. Kaplan, M.F. Charette, H. Speller, S.P. Finklestein	Time window of intracisternal osteogenic protein-1 in enhancing functional recovery after stroke	860
M. Shirane, K. Nakamura	Group II metabotropic glutamate receptors are a common target of *N*-anisoyl-GABA and 1S,3R-ACPD in enhancing ACh release in the prefrontal cortex of freely moving SHRSP	866
Y. Wang, Y.-H. Chiang, T.-P. Su, T. Hayashi, M. Morales, B.J. Hoffer, S.-Z. Lin	Vitamin D_3 attenuates cortical infarction induced by middle cerebral arterial ligation in rats	873
Y. Yang, Q. Li, A. Shuaib	Enhanced neuroprotection and reduced hemorrhagic incidence in focal cerebral ischemia of rat by low dose combination therapy of urokinase and topiramate	881
P. Heiduschka, S. Thanos	Aurintricarboxylic acid promotes survival and regeneration of axotomised retinal ganglion cells in vivo	889
M. Pizzi, M. Benarese, F. Boroni, F. Goffi, A. Valerio, P.F. Spano	Neuroprotection by metabotropic glutamate receptor agonists on kainate-induced degeneration of motor neurons in spinal cord slices from adult rat	903
P. Henrich-Noack, P.J. Flor, C.F. Sabelhaus, K. Prass, U. Dirnagl, F. Gasparini, A. Sauter, M. Rudin, K.G. Reymann	Distinct influence of the group III metabotropic glutamate receptor agonist (*R,S*)-4-phosphonophenylglycine [(*R,S*)-PPG] on different forms of neuronal damage	911

NUMBER 6

Review

S.P. Braithwaite, G. Meyer, J.M. Henley	Interactions between AMPA receptors and intracellular proteins	919
G. Seifert, M. Zhou, D. Dietrich, T.B. Schumacher, A. Dybek, T. Weiser, M. Weinrich, D. Wilhelm, C. Steinhäuser	Developmental regulation of AMPA-receptor properties in CA1 pyramidal neurons of rat hippocampus	931
I. Ito, R. Kawakami, K. Sakimura, M. Mishina, H. Sugiyama	Input-specific targeting of NMDA receptor subtypes at mouse hippocampal CA3 pyramidal neuron synapses	943
H. Matthies, H. Schroeder, A. Becker, H. Loh, V. Höllt, M. Krug	Lack of expression of long-term potentiation in the dentate gyrus but not in the CA1 region of the hippocampus of μ-opioid receptor-deficient mice	952
K. Gyires, A.Z. Rónai, K. Müllner, S. Fürst	Intracerebroventricular injection of clonidine releases ß-endorphin to induce mucosal protection in the rat	961
C.L. Van den Berg, J.M. Van Ree, B.M. Spruijt	Morphine attenuates the effects of juvenile isolation in rats	969
C. Rivera, K. Wegelius, M. Reeben, K. Kaila, M. Pasternack	Different sensitivities of human and rat ρ_1 GABA receptors to extracellular pH	977
R.M. Leao, J.R. Mellor, A.D. Randall	Tonic benzodiazepine-sensitive GABAergic inhibition in cultured rodent cerebellar granule cells	990
R.T. Khisti, C.T. Chopde, E. Abraham	GABAergic involvement in motor effects of an adenosine A_{2A} receptor agonist in mice	1004
A. Boireau, P. Dubedat, F. Bordier, A. Imperato, S. Moussaoui	The protective effect of riluzole in the MPTP model of Parkinson's disease in mice is not due to a decrease in MPP^+ accumulation	1016
S. Marinelli, G. Bernardi, P. Giacomini, N.B. Mercuri	Pharmacological identification of the K^+ currents mediating the hypoglycemic hyperpolarization of rat midbrain dopaminergic neurones	1021
F. Deák, B. Lasztóczi, P. Pacher, G.L. Petheö, V. Kecskeméti, A. Spät	Inhibition of voltage-gated calcium channels by fluoxetine in rat hippocampal pyramidal cells	1029

L. Cervo, E. Mocaër, A. Bertaglia, R. Samanin	Roles of 5-HT_{1A} receptors in the dorsal raphe and dorsal hippocampus in anxiety assessed by the behavioral effects of 8-OH-DPAT and S 15535 in a modified Geller–Seifter conflict model	1037
L.A. Dawson, H.Q. Nguyen	The role of 5-HT_{1A} and 5-$HT_{1B/1D}$ receptors on the modulation of acute fluoxetine-induced changes in extracellular 5-HT: the mechanism of action of (±)pindolol	1044
G. Lucas, P. De Deuraerdère, S. Caccia, U. Spampinato	The effect of serotonergic agents on haloperidol-induced striatal dopamine release in vivo: opposite role of 5-HT_{2A} and 5-HT_{2C} receptor subtypes and significance of the haloperidol dose used	1053
M. Barann, J.P. Dilger, H. Bönisch, M. Göthert, A. Dybek, B.W. Urban	Inhibition of 5-HT_3 receptors by propofol: equilibrium and kinetic measurements	1064
C. Vilpoux, I. Leroux-Nicollet, L. Naudon, R. Raisman-Vozari, J. Costentin	Reserpine or chronic paroxetine treatments do not modify the vesicular monoamine transporter 2 expression in serotonin-containing regions of the rat brain	1075
N. D'Ambrosi, F. Cavaliere, D. Merlo, L. Milazzo, D. Mercanti, C. Volonté	Antagonists of P2 receptor prevent NGF-dependent neuritogenesis in PC12 cells	1083
R.H. Massol, S.S. Antollini, F.J. Barrantes	Effect of organochlorine insecticides on nicotinic acetylcholine receptor-rich membranes	1095
Rapid communications		
N. Kato, Y. Isomura, T. Tanaka	Intracellular calcium releases facilitate induction of long-term depression	1107
A. Newman-Tancredi, C. Chaput, M. Touzard, M.J. Millan	[^{35}S]–GTPγS autoradiography reveals α_2 adrenoceptor-mediated G-protein activation in amygdala and lateral septum	1111
A. Dekeyne, B. Denorme, S. Monneyron, M.J. Millan	Citalopram reduces social interaction in rats by activation of serotonin (5-HT)$_{2C}$ receptors	1114

NUMBER 7

M.-L. Parmentier, T. Galvez, F. Acher, B. Peyre, R. Pellicciari, Y. Grau, J. Bockaert, J.-P. Pin	Conservation of the ligand recognition site of metabotropic glutamate receptors during evolution	1119
S. Dolan, A.M. Nolan	Behavioural evidence supporting a differential role for group I and II metabotropic glutamate receptors in spinal nociceptive transmission	1132
A. Shekhar, S.R. Keim	LY354740, a potent group II metabotropic glutamate receptor agonist prevents lactate-induced panic-like response in panic-prone rats	1139
F.S. Menniti, M.J. Pagnozzi, P. Butler, B.L. Chenard, S.S. Jaw-Tsai, W. Frost White	CP-101,606, an NR2B subunit selective NMDA receptor antagonist, inhibits NMDA and injury induced *c-fos* expression and cortical spreading depression in rodents	1147
R.A. Cunha, J.A. Ribeiro	Purinergic modulation of [^{3}H]GABA release from rat hippocampal nerve terminals	1156
M.D. Krasowski	Differential modulatory actions of the volatile convulsant flurothyl and its anesthetic isomer at inhibitory ligand-gated ion channels	1168
M. Gasior, J.T. Ungard, M. Beekman, R.B. Carter, J.M. Witkin	Acute and chronic effects of the synthetic neuroactive steroid, ganaxolone, against the convulsive and lethal effects of pentylenetetrazol in seizure-kindled mice: comparison with diazepam and valproate	1184
H.C. Akunne, K.T. Zoski, M.D. Davis, L.W. Cooke, L.T. Meltzer, S.Z. Whetzel, Y.H. Shih, D.J. Wustrow, L.D. Wise, R.G. MacKenzie, L.M. Georgic, T.G. Heffner, T.A. Pugsley	PD 158771, a potential antipsychotic agent with D_2/D_3 partial agonist and 5-HT_{1A} agonist actions. I. Neurochemical effects	1197
A.E. Corbin, L.T. Meltzer, F.W. Ninteman, J.N. Wiley, C.L. Christoffersen, D.J. Wustrow, L.D. Wise, T.A. Pugsley, T.G. Heffner	PD 158771, a potential antipsychotic agent with D2/D3 partial agonist and 5-HT_{1A} agonist actions. II. Preclinical behavioral effects	1211
L.J. Bristow, D. O'Connor, R. Watts, M.S. Duxon, P.H. Hutson	Evidence for accelerated desensitisation of 5-HT_{2C} receptors following combined treatment with fluoxetine and the 5-HT_{1A} receptor antagonist, WAY 100,635, in the rat	1222
B.J. Keck, J.M. Lakoski	Regional heterogeneity of serotonin$_{1A}$ receptor inactivation and turnover in the aging female rat brain following EEDQ	1237
N.C.L. McNaughton, A.H. Hainsworth, P.J. Green, A.D. Randall	Inhibition of recombinant low-voltage-activated Ca^{2+} channels by the neuroprotective agent BW619C89 (Sipatrigine)	1247
L. Lacinová, N. Klugbauer, F. Hofmann	Regulation of the calcium channel α_{1G} subunit by divalent cations and organic blockers	1254
M.T. Taylor, D.W. Bonhaus	Allosteric modulation of [^{3}H]gabapentin binding by ruthenium red	1267
M. Krause, P. Pedarzani	A protein phosphatase is involved in the cholinergic suppression of the Ca^{2+}-activated K^+ current sI_{AHP} in hippocampal pyramidal neurons	1274
T.-O. Satoh, M. Yamada	A bradycardiac agent ZD7288 blocks the hyperpolarization-activated current (I_h) in retinal rod photoreceptors	1284

A. Kask, J. Harro	Inhibition of amphetamine- and apomorphine-induced behavioural effects by neuropeptide Y Y_1 receptor antagonist BIBO 3304	1292
I. Pataki, Á. Adamik, M. Jászberényi, M. Mácsai, G. Telegdy	Pituitary adenylate cyclase-activating polypeptide induces hyperthermia in the rat	1303
M.A. Moro, J. De Alba, A. Cárdenas, J. De Cristóbal, J.C. Leza, I. Lizasoain, M.J.M. Díaz-Guerra, L. Boscá, P. Lorenzo	Mechanisms of the neuroprotective effect of aspirin after oxygen and glucose deprivation in rat forebrain slices	1309
M. Oka, M. Hirouchi, Y. Itoh, Y. Ukai	Involvement of peroxynitrite and hydroxyradical generated from nitric oxide in hypoxia/reoxygenation injury in rat cerebrocortical slices	1319
T. Rubino, D. Vigano', P. Massi, M. Spinello, E. Zagato, G. Giagnoni, D. Parolaro	Chronic Δ-9-tetrahydrocannabinol treatment increases cAMP levels and cAMP-dependent protein kinase activity in some rat brain regions	1331

NUMBER 8

Neuropeptides

Review **T. Hökfelt, C. Broberger, Z.-Q.D. Xu, V. Sergeyev, R. Ubink, M. Diez**	Neuropeptides — an overview	1337
J.H. Kehne, S. Coverdale, T.C. McCloskey, D.C. Hoffman, J.V. Cassella	Effects of the CRF_1 receptor antagonist, CP 154,526, in the separation-induced vocalization anxiolytic test in rat pups	1357
F.M. Dautzenberg, G. Huber, J. Higelin, G. Py-Lang, G.J. Kilpatrick	Evidence for the abundant expression of arginine 185 containing human $CRF_{2\alpha}$ receptors and the role of position 185 for receptor-ligand selectivity	1368
Z. Díaz-Cabiale, J.A. Narváez, N. Yanaihara, S. González-Barón, K. Fuxe	Galanin/alpha2-receptor interactions in central cardiovascular control	1377
P.A. Schött, T. Hökfelt, S.O. Ögren	Galanin and spatial learning in the rat. Evidence for a differential role for galanin in subregions of the hippocampal formation	1386
E.J. Mufson, D.C. Deecher, M. Basile, S. Izenwasse, D.C. Mash	Galanin receptor plasticity within the nucleus basalis in early and late Alzheimer's disease: an in vitro autoradiographic analysis	1404
N.M.J. Rupniak, E.C. Carlson, T. Harrison, B. Oates, E. Seward, S. Owen, C. de Felipe, S. Hunt, A. Wheeldon	Pharmacological blockade or genetic deletion of substance P (NK_1) receptors attenuates neonatal vocalisation in guinea-pigs and mice	1413
A. Giolitti, P. Cucchi, A.R. Renzetti, L. Rotondaro, S. Zappitelli, C.A. Maggi	Molecular determinants of peptide and nonpeptide NK-2 receptor antagonists binding sites of the human tachykinin NK-2 receptor by site-directed mutagenesis	1422
A. Fassio, G. Evans, R. Grisshammer, J.P. Bolam, M. Mimmack, P.C. Emson	Distribution of the neurotensin receptor NTS1 in the rat CNS studied using an amino-terminal directed antibody	1430
W. Feniuk, E. Jarvie, J. Luo, P.P.A. Humphrey	Selective somatostatin sst_2 receptor blockade with the novel cyclic octapeptide, CYN-154806	1443
D. Feuerbach, D. Fehlmann, C. Nunn, S. Siehler, D. Langenegger, R. Bouhelal, K. Seuwen, D. Hoyer	Cloning, expression and pharmacological characterisation of the mouse somatostatin sst_5 receptor	1451
H. Husum, J.D. Mikkelsen, S. Hogg, A.A. Mathé, A. Mørk	Involvement of hippocampal neuropeptide Y in mediating the chronic actions of lithium, electroconvulsive stimulation and citalopram	1463
I.A. Antonijevic, H. Murck, S. Bohlhalter, R.-M. Frieboes, F. Holsboer, A. Steiger	Neuropeptide Y promotes sleep and inhibits ACTH and cortisol release in young men	1474

NUMBER 9

Review **A.R. Green, A.H. Hainsworth, D.M. Jackson**	GABA potentiation: a logical pharmacological approach for the treatment of acute ischaemic stroke	1483
J.R. Mellor, W. Wisden, A.D. Randall	Somato-synaptic variation of $GABA_A$ receptors in cultured murine cerebellar granule cells: investigation of the role of the α6 subunit	1495
K.J. Crossley, D.W. Walker, P.M. Beart, J.J. Hirst	Characterisation of $GABA_A$ receptors in fetal, neonatal and adult ovine brain: region and age related changes and the effects of allopregnanolone	1514
R. Schlichter, V. Rybalchenko, P. Poisbeau, M. Verleye, J.-M. Gillardin	Modulation of GABAergic synaptic transmission by the non-benzodiazepine anxiolytic etifoxine	1523
F.J. Michel, L.-E. Trudeau	Clozapine inhibits synaptic transmission at GABAergic synapses established by ventral tegmental area neurones in culture	1536
A. Sistiaga, J. Sánchez-Prieto	Protein phosphatase 2B inhibitors mimic the action of arachidonic acid and prolong the facilitation of glutamate release by group I mGlu receptors	1544

L.S. Thomas, D.E. Jane, J.R. Harris, M.J. Croucher	Metabotropic glutamate autoreceptors of the $mGlu_5$ subtype positively modulate neuronal glutamate release in the rat forebrain in vitro	1554
A.G. Chapman, K. Nanan, M. Williams, B.S. Meldrum	Anticonvulsant activity of two metabotropic glutamate Group I antagonists selective for the mGlu5 receptor: 2-methyl-6-(phenylethynyl)-pyridine (MPEP), and (E)-6-methyl-2-styryl-pyridine (SIB 1893)	1567
M.J. O'Neill, L. Bogaert, C.A. Hicks, A. Bond, M.A. Ward, G. Ebinger, P.L. Ornstein, Y. Michotte, D. Lodge	LY377770, a novel iGlu5 kainate receptor antagonist with neuroprotective effects in global and focal cerebral ischaemia	1575
D. Christensen, G. Guilbaud, V. Kayser	The effect of the glycine/NMDA receptor antagonist, (+)-HA966, on morphine dependence in neuropathic rats	1589
G. Blackburn-Munro, C.H. Brown, I.D. Neumann, R. Landgraf, J.A. Russell	Verapamil prevents withdrawal excitation of oxytocin neurones in morphine-dependent rats	1596
A. Gobert, A. Dekeyne, M.J. Millan	The ability of WAY100,635 to potentiate the neurochemical and functional actions of fluoxetine is enhanced by co-administration of SB224,289, but not BRL15572	1608
L.-B. Zou, K. Yamada, M. Sasa, Y. Nakata, T. Nabeshima	Effects of σ_1 receptor agonist SA4503 and neuroactive steroids on performance in a radial arm maze task in rats	1617
P. Magni, E. Beretta, E. Scaccianoce, M. Motta	Retinoic acid negatively regulates neuropeptide Y expression in human neuroblastoma cells	1628
G.L. Caporaso, J.A. Bibb, G.L. Snyder, C. Valle, S. Rakhilin, A.A. Fienberg, H.C. Hemmings Jr., A.C. Nairn, P. Greengard	Drugs of abuse modulate the phosphorylation of ARPP-21, a cyclic AMP-regulated phosphoprotein enriched in the basal ganglia	1637
A. Parada, P. Soares-da-Silva	The dopamine antagonist Sch 23390 reverses dizocilpine-induced blockade of cocaine sensitization	1645
B. Safieh-Garabedian, M. Dardenne, S.A. Kanaan, S.F. Atweh, S.J. Jabbur, N.E. Saadé	The role of cytokines and prostaglandin-E_2 in thymulin induced hyperalgesia	1653
T. Hagiwara, C.-i. Lee, E. Okabe	Differential sensitivity to hydroxyl radicals of pre- and postjunctional neurovascular transmission in the isolated canine mesenteric vein	1662
C.A. Guimarães, R. Linden	Chloramphenicol induces apoptosis in the developing brain	1673

NUMBER 10

R.W. Peoples, R.R. Stewart	Alcohols inhibit *N*-methyl-D-aspartate receptors via a site exposed to the extracellular environment	1681
J.H. Kim, J.A. Beeler, P. Vezina	Group II, but not group I, metabotropic glutamate receptors in the rat nucleus accumbens contribute to amphetamine-induced locomotion	1692
C. Schweitzer, C. Kratzeisen, G. Adam, K. Lundstrom, P. Malherbe, S. Ohresser, H. Stadler, J. Wichmann, T. Woltering, V. Mutel	Characterization of [^{3}H]-LY354740 binding to rat mGlu2 and mGlu3 receptors expressed in CHO cells using Semliki Forest virus vectors	1700
H.K. Kramer, E.J. Simon	μ and δ-opioid receptor agonists induce mitogen-activated protein kinase (MAPK) activation in the absence of receptor internalization	1707
L.C. Zhang, J.J. Buccafusco	Adaptive changes in M1 muscarinic receptors localized to specific rostral brain regions during and after morphine withdrawal	1720
D.E. Womer, H.E. Shannon	Pharmacologic reversal of pertussis toxin-induced thermal allodynia in mice	1732
J.R. Burley, A.C. Dolphin	Overlapping selectivity of neurotoxin and dihydropyridine calcium channel blockers in cerebellar granule neurones	1740
R.M. Leão, J.S. Cruz, C.R. Diniz, M.N. Cordeiro, P.S.L. Beirão	Inhibition of neuronal high-voltage activated calcium channels by the ω-*Phoneutria nigriventer* Tx3-3 peptide toxin	1756
L.S. Prothero, A. Mathie, C.D. Richards	Purinergic and muscarinic receptor activation activates a common calcium entry pathway in rat neocortical neurons and glial cells	1768
J. Breder, C.F. Sabelhaus, T. Opitz, K.G. Reymann, U.H. Schröder	Inhibition of different pathways influencing Na^+ homeostasis protects organotypic hippocampal slice cultures from hypoxic/hypoglycemic injury	1779
S.N. Wu, T.L. Hwang, C.M. Teng, H.F. Li, C.R. Jan	The mechanism of actions of 3-(5′-(hydroxymethyl-2′-furyl)-1-benzyl indazole (YC-1) on Ca^{2+}-activated K^+ currents in GH_3 lactotrophs	1788
J.C. Béïque, C. de Montigny, P. Blier, G. Debonnel	Effects of sustained administration of the serotonin and norepinephrine reuptake inhibitor venlafaxine: I. In vivo electrophysiological studies in the rat	1800
J.C. Béïque, C. de Montigny, P. Blier, G. Debonnel	Effects of sustained administration of the serotonin and norepinephrine reuptake inhibitor venlafaxine: II. In vitro studies in the rat	1813
D.K. Raap, L. DonCarlos, F. Garcia, N.A. Muma, W.A. Wolf, G. Battaglia, L.D. Van de Kar	Estrogen desensitizes 5-HT_{1A} receptors and reduces levels of G_o, G_{i1} and G_{i3} proteins in the hypothalamus	1823

P.M. Boers, C. Donaldson, A.S. Zagami, G.A. Lambert	5-HT_{1A} and 5-$HT_{1B/1D}$ receptors are involved in the modulation of the trigeminovascular system of the cat: a microiontophoretic study	1833
G. Griebel, R.J. Rodgers, G. Perrault, D.J. Sanger	The effects of compounds varying in selectivity as 5-HT_{1A} receptor antagonists in three rat models of anxiety	1848
E. Przegaliński, E. Tatarczyńska, E Chojnacka-Wójcik	The influence of the benzodiazepine receptor antagonist flumazenil on the anxiolytic-like effects of CGP 37849 and ACPC in rats	1858
C. Kopp, E. Vogel, M.C. Rettori, P. Delagrange, R. Misslin	Anxiolytic-like properties of melatonin receptor agonists in mice: involvement of mt1 and/or MT2 receptors in the regulation of emotional responsiveness	1865
P.J. Scarpace, M. Matheny, E.W. Shek	Impaired leptin signal transduction with age-related obesity	1872
P-P Rompré, S. Perron	Evidence for a role of endogenous neurotensin in the initiation of amphetamine sensitization	1880
U. Ebert, E. Reissmüller, W. Löscher	The new antiepileptic drugs lamotrigine and felbamate are effective in phenytoin-resistant kindled rats	1893
R.W. Clarke, J. Harris, J. Ogilvie	Imidazoline I_2-receptors and spinal reflexes in the decerebrated rabbit	1904
E.M. Parker, A. Monopoli, E. Ongini, G. Lozza, C.M. Babij	Rapamycin, but not FK506 and GPI-1046, increases neurite outgrowth in PC12 cells by inhibiting cell cycle progression	1913
A. Terashima, T. Taniguchi, M. Nakai, M. Yasuda, T. Kawamata, C. Tanaka	Rapamycin and FK506 induce long-term potentiation by pairing stimulation via an intracellular Ca^{2+} signaling mechanism in rat hippocampal CA1 neurons	1920
	Publishers note	1929

NUMBER 11

S.R. Cobb, D.O. Bulters, C.H. Davies	Coincident activation of mGluRs and mAChRs imposes theta frequency patterning on synchronised network activity in the hippocampal CA3 region	1933
G. Riedel, G. Casabona, B. Platt, E.M. Macphail, F. Nicoletti	Fear conditioning-induced time- and subregion-specific increase in expression of mGlu5 receptor protein in rat hippocampus	1943
D. Manahan-Vaughan	Group III metabotropic glutamate receptors modulate long-term depression in the hippocampal CA1 region of two rat strains in vivo	1952
J. Ruel, R.P. Bobbin, D. Vidal, R. Pujol, J.L. Puel	The selective AMPA receptor antagonist GYKI 53784 blocks action potential generation and excitotoxicity in the guinea pig cochlea	1959
L. Ferraro, K. Fuxe, S. Tanganelli, M. Fernandez, F.A. Rambert, T. Antonelli	Amplification of cortical serotonin release: a further neurochemical action of the vigilance-promoting drug modafinil	1974
G. Lucas, P. De Deurwaerdère, G. Porras, U. Spampinato	Endogenous serotonin enhances the release of dopamine in the striatum only when nigro-striatal dopaminergic transmission is activated	1984
A. Anji, M. Kumari, N.R. Sullivan Hanley, G.L. Bryan, J.G. Hensler	Regulation of 5-HT_{2A} receptor mRNA levels and binding sites in rat frontal cortex by the agonist DOI and the antagonist mianserin	1996
C. Sévoz-Couche, Y. Wang, A.G. Ramage, K.M. Spyer, D. Jordan	In vivo modulation of nucleus tractus solitarius (NTS) neurones by activation of 5-hydroxytryptamine$_2$ receptors in rats	2006
E. Marchetti, A. Dumuis, J. Bockaert, B. Soumireu-Mourat, F.S. Roman	Differential modulation of the 5-HT_4 receptor agonists and antagonist on rat learning and memory	2017
S.C. Cheetham, J.A. Viggers, N.A. Slater, D.J. Heal	Sibutramine does not decrease the number of 5-HT re-uptake sites in rat brain and, like fluoxetine, protects against the deficits produced by dexfenfluramine	2028
Y. Mateo, J.A. Ruiz-Ortega, J. Pineda, L. Ugedo, J.J. Meana	Inhibition of 5-hydroxytryptamine reuptake by the antidepressant citalopram in the locus coeruleus modulates the rat brain noradrenergic transmission in vivo	2036
J. Rettinger, G. Schmalzing, S. Damer, G. Müller, P. Nickel, G. Lambrecht	The suramin analogue NF279 is a novel and potent antagonist selective for the $P2X_1$ receptor	2044
J.L. Dutton, P. Poronnik, G.H. Li, C.A. Holding, R.A. Worthington, R.J. Vandenberg, D.I. Cook, J.A. Barden, M.R. Bennett	$P2X_1$ receptor membrane redistribution and down-regulation visualized by using receptor-coupled green fluorescent protein chimeras	2054
U. Bonnet, T. Leniger, M. Wiemann	Moclobemide reduces intracellular pH and neuronal activity of CA3 neurones in guinea-pig hippocampal slices—implication for its neuroprotective properties	2067
W.W. Yang, T. L. Krukoff	Nitric oxide regulates body temperature, neuronal activation and interleukin-1β gene expression in the hypothalamic paraventricular nucleus in response to immune stress	2075
E. Rodríguez-Martín, M.J. Casarejos, E. Bazán, S. Canals, A.S. Herranz, M.A. Mena	Nitric oxide induces differentiation in the NB69 human catecholamine-rich cell line	2090
P.J. Pauwels, F.C. Colpaert	Heterogeneous ligand-mediated Ca^{++} responses at wt and mutant α_{2A}-adrenoceptors suggest multiple ligand activation binding sites at the α_{2A}-adrenoceptor	2101
Y. Wang, J. Chou, C.-H. Jeng, M. Morales, J.Y. Wang	Chronic methamphetamine exposure decreases high affinity uptake function in norepinephrine afferents in the cerebellar cortex: an electrophysiological and electrochemical study	2112

K. Gołembiowska, A. Żyłewska	Effect of adenosine kinase, adenosine deaminase and transport inhibitors on striatal dopamine and stereotypy after methamphetamine administration	2124
F.I. Tarazi, N.S. Kula, K. Zhang, R.J. Boldessarini	Alkylation of rat dopamine transporters and blockade of dopamine uptake by EEDQ	2133
M.O. Cunningham, R.S.G. Jones	The anticonvulsant, lamotrigine decreases spontaneous glutamate release but increases spontaneous GABA release in the rat entorhinal cortex in vitro	2139
G. De Sarro, E. Palma, N. Costa, R. Marra, S. Gratteri, A. De Sarro, D. Rotiroti	Effects of compounds acting on $GABA_B$ receptors in the pentylenetetrazole kindling model of epilepsy in mice	2147
C.D. Bown, J.-F. Wang, L.T. Young	Increased expression of endoplasmic reticulum stress proteins following chronic valproate treatment of rat C6 glioma cells	2162
S.C. Dulawa, M.A. Geyer	Effects of strain and serotonergic agents on prepulse inhibition and habituation in mice	2170
J.J. Nah, J.H. Hahn, S. Chung, S. Choi, Y.I. Kim, S.Y. Nah	Effect of ginsenosides, active components of ginseng, on capsaicin-induced pain-related behavior	2180
K. Yang, E. Kumamoto, H. Furue, Y.-Q. Li, M. Yoshimura	Capsaicin induces a slow inward current which is not mediated by substance P in substantia gelatinosa neurons of the rat spinal cord	2185
R.-Q. Huang, G.H. Dillon	Direct inhibition of glycine receptors by genistein, a tyrosine kinase inhibitor	2195
B.L. Fiebich, K. Lieb, M. Hüll, B. Aicher, J. van Ryn, M. Pairet, G. Engelhardt	Effects of caffeine and paracetamol alone or in combination with acetylsalicylic acid on prostaglandin E_2 synthesis in rat microglial cells	2205
M. Malo, C. Vurpillot, M. Tomasi, J. Bruner, J. Stinnakre, M. Israël	Effect of brefeldin A on acetylcholine release from glioma C6BU-1 cells	2214

NUMBER 12

V. Bruno, I. Ksiazek, G. Battaglia, S. Lukic, T. Leonhardt, D. Sauer, F. Gasparini, R. Kuhn, F. Nicoletti, P.J. Flor	Selective blockade of metabotropic glutamate receptor subtype 5 is neuroprotective	2223
J. Chen, B. Heinke, J. Sandkühler	Activation of group I metabotropic glutamate receptors induces long-term depression at sensory synapses in superficial spinal dorsal horn	2231
D. Milhaud, L. Fagni, J. Bockaert, M. Lafon-Cazal	Imidazoline-induced neuroprotective effects result from blockade of NMDA receptor channels in neuronal cultures	2244
G.A. Rameau, Y. Akaneya, L.-Y. Chiu, E.B. Ziff	Role of NMDA receptor functional domains in excitatory cell death	2255
C.M. Coussens, J.M. Williams, D.R. Ireland, W.C. Abraham	Tyrosine phosphorylation-dependent inhibition of hippocampal synaptic plasticity	2267
P. Popik, M. Wróbel, G. Nowak	Chronic treatment with antidepressants affects glycine/NMDA receptor function: behavioral evidence	2278
N. Berretta, A.V. Rossokhin, A.M. Kasyanov, M.V. Sokolov, E. Cherubini, L.L. Voronin	Postsynaptic hyperpolarization increases the strength of AMPA-mediated synaptic transmission at large synapses between mossy fibers and CA3 pyramidal cells	2288
H. Ishibashi, K. Kuwano, K. Takahama	Inhibition of the $5\text{-}HT_{1A}$ receptor-mediated inwardly rectifying K^+ current by dextromethorphan in rat dorsal raphe neurones	2302
M.E. Newman, E. Gur, E. Dremencov, F. Garcia, B. Lerer, L.D. Van de Kar	Chronic clomipramine alters presynaptic $5\text{-}HT_{1B}$ and postsynaptic $5\text{-}HT_{1A}$ receptor sensitivity in rat hypothalamus and hippocampus, respectively	2309
P.H. Hutson, C.L. Barton, M. Jay, P. Blurton, F. Burkamp, R. Clarkson, L.J. Bristow	Activation of mesolimbic dopamine function by phencyclidine is enhanced by $5\text{-}HT_{2C/2B}$ receptor antagonists: neurochemical and behavioural studies	2318
V. Girod, M. Bouvier, L. Grélot	Characterization of lipopolysaccharide-induced emesis in conscious piglets: effects of cervical vagotomy, cyclooxygenase inhibitors and a $5\text{-}HT_3$ receptor antagonist	2329
L.G.H. Bonagamba, C. Sévoz-Couche, A. N'Diaye, K. Uygun-Louvet, J.-C. Callera, B.H. Machado, M. Hamon, R. Laguzzi	Bradycardic responses to microinjection of *N*-methyl-D-aspartate into the nucleus tractus solitarius are inhibited by local activation of $5\text{-}HT_3$ receptors	2336
K.-W. Sung, S.R. Engel, A.M. Allan, D.M. Lovinger	$5\text{-}HT_3$ receptor function and potentiation by alcohols in frontal cortex neurons from transgenic mice overexpressing the receptor	2346
A. Balcioglu, R.J. Wurtman	Sibutramine, a serotonin uptake inhibitor, increases dopamine concentrations in rat striatal and hypothalamic extracellular fluid	2352
M.D. Mark, J.P. Ruppersberg, S. Herlitze	Regulation of GIRK channel deactivation by $G\alpha_q$ and $G\alpha_{i/o}$ pathways	2360
B. Kull, P. Svenningsson, H. Hall, B.B. Fredholm	GTP differentially affects antagonist radioligand binding to adenosine A_1 and A_{2A} receptors in human brain	2374
R. Gómez-Villafuertes, J. Gualix, M.T. Miras-Portugal, J. Pintor	Adenosine 5′-tetraphosphate (Ap_4), a new agonist on rat midbrain synaptic terminal P2 receptors	2381

T. Mamiya, Y. Noda, A. Noda, M. Hiramatsu, K. Karasawa, T. Kameyama, S. Furukawa, K. Yamada, T. Nabeshima	Effects of sigma receptor agonists on the impairment of spontaneous alternation behavior and decrease of cyclic GMP level induced by nitric oxide synthase inhibitors in mice	2391
N. Ole Dalby	GABA-level increasing and anticonvulsant effects of three different GABA uptake inhibitors	2399
D.M. Sokal, R. Mason, T.L. Parker	Multi-neuronal recordings reveal a differential effect of thapsigargin on bicuculline- or gabazine-induced epileptiform excitability in rat hippocampal neuronal networks	2408
G.M. Khan, I. Smolders, G. Ebinger, Y. Michotte	Anticonvulsant effect and neurotransmitter modulation of focal and systemic 2-chloroadenosine against the development of pilocarpine-induced seizures	2418
D.A. Richards, L.A. Morrone, N.G. Bowery	Hippocampal extracellular amino acids and EEG spectral analysis in a genetic rat model of absence epilepsy	2433
S.F. Long, M.C. Wilson, W.M. Davis	The effects of nandrolone decanoate on cocaine-induced kindling in male rats	2442
M. Serra, M. Littera, M.G. Pisu, M. Muggironi, R.H. Purdy, G. Biggio	Steroidogenesis in rat brain induced by short- and long-term administration of carbamazepine	2448
H.J. Herdon, F.M. Godfrey, W.N. Chan	Use of the radioligand [^{125}I]-SB-217644 in the characterisation and solubilisation of the novel binding site for the anticonvulsant SB-204269 in rat brain membranes and cell lines	2457
M. Durand, S. Aguerre, F. Fernandez, L. Edno, I. Combourieu, P. Mormède, F. Chaouloff	Strain-dependent neurochemical and neuroendocrine effects of desipramine, but not fluoxetine or imipramine, in Spontaneously Hypertensive and Wistar–Kyoto rats	2464
T. Hori, S. Subramaniam, L.K. Srivastava, R. Quirion	Behavioral and neurochemical alterations following repeated phencyclidine administration in rats with neonatal ventral hippocampal lesions	2478
K.S. Eriksson, D.R. Stevens, H.L. Haas	Opposite modulation of histaminergic neurons by nociceptin and morphine	2492
D.E. Womer, H.E. Shannon	Reversal of pertussis toxin-induced thermal allodynia by muscarinic cholinergic agonists in mice	2499
E. Tavares, F.J. Miñano	RANTES: a new prostaglandin dependent endogenous pyrogen in the rat	2505

NUMBER 13

Neuronal Nicotinic Receptors

M. Verbitsky, C.V. Rothlin, E. Katz, A.B. Elgoyhen	Mixed nicotinic–muscarinic properties of the α9 nicotinic cholinergic receptor	2515
C.V. Rothlin, E. Katz, M. Verbitsky, D.E. Vetter, S.F. Heinemann, A.B. Elgoyhen	Block of the α9 nicotinic receptor by ototoxic aminoglycosides	2525
L.M. Houlihan, E.Y. Slater, D.J. Beadle, R.J. Lukas, I. Bermudez	Effects of diltiazem on human nicotinic acetylcholine and $GABA_A$ receptors	2533
L.E. Chavez-Noriega, A. Gillespie, K.A. Stauderman, J.H. Crona, B. O'Neil Claeps, K.J. Elliott, R.T. Reid, T.S. Rao, G. Velicelebi, M.M. Harpold, E.C. Johnson, J. Corey-Naeve	Characterization of the recombinant human neuronal nicotinic acetylcholine receptors α3β2 and α4β2 stably expressed in HEK293 cells	2543
B. Buisson, Y.F. Vallejo, W.N. Green, D. Bertrand	The unusual nature of epibatidine responses at the α4β2 nicotinic acetylcholine receptor	2561
A. Kuryatov, F. Olale, J. Cooper, C. Choi, J. Lindstrom	Human α6 AChR subtypes: subunit composition, assembly, and pharmacological responses	2570
E.B. Sheffield, M.W. Quick, R.A.J. Lester	Nicotinic acetylcholine receptor subunit mRNA expression and channel function in medial habenula neurons	2591
S.J. Lansdell, N.S. Millar	Cloning and heterologous expression of Dα4, a *Drosophila* neuronal nicotinic acetylcholine receptor subunit: identification of an alternative exon influencing the efficiency of subunit assembly	2604
I.N. Melnikova, H.-R. Lin, A.R. Blanchette, P.D. Gardner	Synergistic transcriptional activation by Sox10 and Sp1 family members	2615
J. Auta, D. Lecca, M. Nelson, A. Guidotti, D.H. Overstreet, E. Costa, J.I. Javaid	Expression and function of striatal nAChRs differ in the Flinders sensitive (FSL) and resistant (FRL) rat lines	2624
M.J. Marks, J.A. Stitzel, S.R. Grady, M.R. Picciotto, J.-P. Changeux, A.C. Collins	Nicotinic-agonist stimulated $^{86}Rb^+$ efflux and [^{3}H]epibatidine binding of mice differing in β2 genotype	2632
L. Beani, T. Antonelli, M.C. Tomasini, L. Marani, C. Bianchi	The nicotinic modulation of [^{3}H]D-aspartate outflow in primary cultures of rat neocortical neurons: effect of acute and long term nicotine treatment	2646

D.K. Miller, P.A. Crooks, L.P. Dwoskin	Lobeline inhibits nicotine-evoked [^{3}H]dopamine overflow from rat striatal slices and nicotine-evoked $^{86}Rb^+$ efflux from thalamic synaptosomes	2654
D.J. Anderson, P.S. Puttfarcken, I. Jacobs, C. Faltynek	Assessment of nicotinic acetylcholine receptor-mediated release of [^{3}H]-norepinephrine from rat brain slices using a new 96-well format assay	2663
P.S. Puttfarcken, I. Jacobs, C.R. Faltynek	Characterization of nicotinic acetylcholine receptor-mediated [^{3}H]-dopamine release from rat cortex and striatum	2673
S.V. Nayak, P. Rondé, A.D. Spier, S.C.R. Lummis, R.A. Nichols	Nicotinic receptors co-localize with 5-HT3 serotonin receptors on striatal nerve terminals	2681
P. Allaire, O. Ikonomov, M.K. Garrett, M.H. Jacob	Synaptic interactions regulate gephyrin expression in avian cholinergic neurons in vivo	2691
W.G. Conroy, L.F. Ogden, D.K. Berg	Cluster formation of α7-containing nicotinic receptors at interneuronal interfaces in cell culture	2699
L.J. Breeze, S. Vijayaraghavan	Optical measurements of presynaptic nicotinic effects	2706
R. Girod, N. Barazangi, D. McGehee, L.W. Role	Facilitation of glutamatergic neurotransmission by presynaptic nicotinic acetylcholine receptors	2715
M. Alkondon, E.F.R. Pereira, L.E.F. Almeida, W.R. Randall, E.X. Albuquerque	Nicotine at concentrations found in cigarette smokers activates and desensitizes nicotinic acetylcholine receptors in CA1 interneurons of rat hippocampus	2726
L.E.F. Almeida, E.F.R. Pereira, M. Alkondon, W.P. Fawcett, W.R. Randall, E.X. Albuquerque	The opioid antagonist naltrexone inhibits activity and alters expression of α7 and $\alpha4\beta2$ nicotinic receptors in hippocampal neurons: implications for smoking cessation programs	2740
J.L. Fisher, J.A. Dani	Nicotinic receptors on hippocampal cultures can increase synaptic glutamate currents while decreasing the NMDA-receptor component	2756
A. Bancroft, E.D. Levin	Ventral hippocampal $\alpha4\beta2$ nicotinic receptors and chronic nicotine effects on memory	2770
B.J. Caldarone, C.H. Duman, M.R. Picciotto	Fear conditioning and latent inhibition in mice lacking the high affinity subclass of nicotinic acetylcholine receptors in the brain	2779
M.I. Damaj, E.M. Meyer, B.R. Martin	The antinociceptive effects of α7 nicotinic agonists in an acute pain model	2785
J. Carlson, B. Armstrong, R.C. Switzer III, G. Ellison	Selective neurotoxic effects of nicotine on axons in fasciculus retroflexus further support evidence that this a weak link in brain across multiple drugs of abuse	2792
F.A. Dajas-Bailador, P.A. Lima, S. Wonnacott	The α7 nicotinic acetylcholine receptor subtype mediates nicotine protection against NMDA excitotoxicity in primary hippocampal cultures through a Ca^{2+} dependent mechanism	2799
A.J. Lança, T.R. Sanelli, W.A. Corrigall	Nicotine-induced Fos expression in the pedunculopontine mesencephalic tegmentum in the rat	2808
K. Benhammou, M. Lee, M. Strook, B. Sullivan, J. Logel, K. Raschen, C. Gotti, S. Leonard	[^{3}H]Nicotine binding in peripheral blood cells of smokers is correlated with the number of cigarettes smoked per day	2818
C.M. Martin-Ruiz, M. Piggott, C. Gotti, J. Lindstrom, A.D. Mendelow, M.S. Siddique, R.H. Perry, E.K. Perry, J.A. Court	Alpha and beta nicotinic acetylcholine receptors subunits and synaptophysin in putamen from Parkinson's disease	2830
J. Gommans, I.P. Stolerman, M. Shoaib	Antagonism of the discriminative and aversive stimulus properties of nicotine in C57BL/6J mice	2840
B. Hahn, I.P. Stolerman, M. Shoaib	Kappa-opioid receptor modulation of nicotine-induced behaviour	2848